

# Natralock® SBS

## Appealing. Safe. Functional. Sustainable.



Natralock® SBS features stellar graphic reproduction as well as protection from tampering while allowing heat and RF sealing on a wide range of thermoform blister materials. It's perfect for promotional messages, graphics and compliance information for trap seal blister packaging and is uniquely engineered to be used as a clamshell replacement that both deters theft and enhances sustainability.

### Packaging uses

- Healthcare
- Beauty and Personal Care
- Media and Electronics
- Toys
- Sporting Goods
- Automotive
- Home Improvement
- Tools

### What You Can Expect from Us

- Laminated Structure** The rigidity of paperboard and the tear-resistance of lamination combines for unsurpassed assembly performance of trap seal blister packaging.
- Heat Seal Compatibility** Consistently seals to a wide variety of thermoformed blister materials, including APET, RPET, PETG, RPETG, PVC and PLA.
- Low Temperature Seal** Low-temperature sealing yields increased line speed, minimized risk of product damage and reduced ink degradation. With a dwell time 20% less than other hot-seal coatings, you'll see improved results and lower costs.
- Product Uniformity** A smooth surface, outstanding ink holdout and best-in-class consistency combine for optimal printability. Polymer coat-weight uniformity provides improved efficiencies and maximum throughput on high-speed filling equipment.
- Converting Efficiency** Direct printing eliminates the need to apply heat-seal coating, improving converting efficiency and reducing inventory costs.
- Consistency** Roll-to-roll and sheet-to-sheet consistency makes Natralock SBS ideal for high-speed converting, filling and sealing applications.

**Product  
Classification**

Polymer-Coated  
Solid Bleached  
Sulfate  
SBS Paperboard  
Laminated with  
Tear Resistance  
Film  
Extruded with Heat  
Seal Coating

**Additional Product Information**

**Sustainability**

All WestRock North American paperboard mills are certified to the SFI®, PEFC™, FSC™ Chain of Custody Standards. Contact your WestRock sales representative for certified fiber availability for this product.

**Quality**

Produced at an ISO 9001 certified facility.

**Environmental  
and Safety**

Notices under US California Proposition 65 and the EU REACH regulation are not required.  
Elemental chlorine free (ECF) bleached fiber.  
Meets heavy metal limits of the US Model Toxics in Packaging rules and Article 11 of EU Directive 94/62/EC.

For more information, please contact your WestRock representative or visit our website at [westrock.com](http://westrock.com).

The information contained in this Product Guide is accurate to the best of WestRock’s knowledge and belief. It is intended, however, only as an introduction to the typical properties of the product. WestRock disclaims any guarantee or warranty with respect to the accuracy of this information or, based on this document, with respect to the suitability of the product for any particular use, including, but not limited to, the compliance of the product with laws, regulations, or standards. This information is subject to change without notice.

Certificate Codes: SFI Certified Sourcing: NSF-SFI-CS-6S751, SFI CoC: NSF-SFICOC-6S751, PEFC: NSF-PEFCCOC-6S751, FSC Company Code: FSC-C104002

© 2016 WestRock Company. WestRock™ and Natralock® are trademarks of WestRock Company. All rights reserved worldwide.

