

WestRock
VersaFile™ Cinnamon
Strength that lasts. Quality that endures.



When a folder needs to last for years and years, turn to WestRock VersaFile™ Cinnamon. Ideal for demanding medical, dental and legal office applications, it is particularly well suited for complex folders that require extended use, handling and assembly. It uses unbleached kraft fibers and can be dyed to meet your color requirements. So for records storage that stands the test of time, turn to VersaFile Cinnamon.

Packaging uses

- File Folders
- Side- or Top-Reinforced Folders
- Expanding Pocket Folders
- Inserts or Folders with Fasteners
- Inserts, Dividers and Jackets

Product Classification

- Uncoated
- Unbleached Kraft
- UUK Paperboard

What You Can Expect from Us

- Consistency** Our fully integrated manufacturing facility combines both pulp and paper processing on the same site, which ensures highly uniform color and shade for dependable printing and converting performance.
- Shade** Continuous on-machine color measurement and monitoring coupled with robust post-production quality control processes contribute to a consistent shade.
- Convertibility** State-of-the-art process controls provide consistent caliper, basis weight, and moisture content from roll to roll and order to order, which ensures excellent performance folding, die-cutting and gluing equipment.
- Durability** Unique pulp fiber formulations deliver excellent stiffness, tear resistance and fold endurance that holds up over years of use.
- Recycled Fiber Content** Depending on the grade, you can choose from 10% or 30% post-consumer recycled fiber content. This is especially attractive to retailers and government agencies seeking to meet sustainability goals.

Additional Product Information

- Sustainability** Recyclable.
Recycled fiber content available by specification.
All WestRock North American paperboard mills are certified to the SFI®, PEFC™, FSC™ Chain of Custody Standards.
Contact your WestRock sales representative for certified fiber availability for this product.
- Quality** Produced at an ISO 9001 certified facility.
- Environmental and Safety** Notices under US California Proposition 65 and the EU REACH regulation are not required.
Meets heavy metal limits of the US Model Toxics in Packaging rules and Article 11 of EU Directive 94/62/EC.

Grade Availability & Typical Properties (U.S.)

VersaFile™ Cinnamon

Grade Availability by Caliper					Units	Method	
Post Consumer Fiber (PCF) Content	10%	30%	10%	30%	percent		
Caliper (pts)	0.0095	0.0095	0.0110	0.0110	inches	T-411	
Nominal Basis Weight	127	127	147	147	lbs/3000 sq ft	T-410	
Moisture	6.3	6.3	6.3	6.3	percent	T-412	
Coefficient of Friction (COF)	0.45	0.45	0.45	0.45	static	T-815	
Elmendorf Tear							
Dry	MD	320	290	380	360	gf	T-414
	CD	370	345	450	430	gf	T-414
Stiffness							
Taber 15°	MD	45	40	65	65	gf-cm	T-489
	CD	19	16	26	26	gf-cm	T-489

Grade Availability & Typical Properties (Metric)

Grade Availability by Weight					Units	Method	
Post Consumer Fiber (PCF) Content	10%	30%	10%	30%	percent		
Thickness	241	241	279	279	microns	T-411	
Nominal Basis Weight	207	207	239	239	gsm	T-410	
Moisture	6.3	6.3	6.3	6.3	percent	T-412	
Coefficient of Friction (COF)	0.45	0.45	0.45	0.45	static	T-815	
Elmendorf Tear							
Dry	MD	320	290	380	360	gf	T-414
	CD	370	345	450	430	gf	T-414
Stiffness							
Taber 15°	MD	4.4	3.9	6.4	6.4	gf-cm	T-489
	CD	1.9	1.6	2.6	2.6	gf-cm	T-489

Values are subject to change without notice.

For more information, please contact your WestRock representative or visit our website at westrock.com.

The information contained in this Product Guide is accurate to the best of WestRock's knowledge and belief. It is intended, however, only as an introduction to the typical properties of the product. WestRock disclaims any guarantee or warranty with respect to the accuracy of this information or, based on this document, with respect to the suitability of the product for any particular use, including, but not limited to, the compliance of the product with laws, regulations, or standards. This information is subject to change without notice.

Certificate Codes: SFI Certified Sourcing: NSF-SFI-CS-6S751, SFI CoC: NSF-SFICOC-6S751, PEFC: NSF-PEFCOC-6S751, FSC Company Code: FSC-C104002

© 2017 WestRock Company. WestRock® and VersaFile™ are trademarks of WestRock Company. All rights reserved worldwide.



westrock.com